

MEDICATIONS

(Addendum to Statewide Treatment Protocols Appendix A - Medications List)

Additional required medications in Region I:

Amiodarone, Metoprolol (Lopressor)

Additional medications which may be carried with Service Medical Director approval:

ALS Medical Director Option: Lorazepam (Ativan)

BLS Medical Director Option: Albuterol

Nerve Agent Antidote Kit

Note: Region I paramedic level ambulance services are required to carry the medications listed in “Appendix A - Medications List” of the Statewide Treatment Protocols under “Required Medications.” In addition to those medications, Region I paramedic level ambulance services must also carry the above additional meds. These drugs have been approved from the “Optional Medications” list found in “Appendix A” by the Region I Physicians’ Council.

AUTHORIZED MEDICATIONS FOR USE BY PARAMEDIC LEVEL PERSONNEL

The form supplied and minimum stock level are recommendations. Each paramedic vehicle should have enough medications on hand to treat two patients. The form of the medication carried is that provided by the pharmacy of the hospital with which your service is affiliated. Medication dosages are dictated by protocol.

MEDICATION (GENERIC)	MEDICATION (TRADE/COMMON)	HOW SUPPLIED	MINIMUM STOCK LEVEL
Activated Charcoal		25 gm bottle (sorbitol) 25 gm bottle (water)	1 1
Adenosine	Adenocard	6 mg/2mL unit dose vial	5
Albuterol Sulfate	Proventil or Ventolin	Unit dose, 3mL (0.083% sol)	3
Amiodarone		150mg/3ml vial	2
ASA	Asprin	81 mg tablets	1 bottle
Atropine Sulfate		0.5 – 1.0 mg prefilled syringe	5
Atrovent Solution		Unit dose, 2.5mL (0.02 % sol)	2
Calcium Chloride		10 ml prefilled syringe (100mg/ml)	2
*Cetacaine Spray		56 gm bottle	1

WMEMS REGION ONE GUIDELINES

January 11, 2007

Dextrose 25% Inject	D25	infant prefilled syringe	2
Dextrose 50% Inject	D50	25 gm prefilled syringe	2
Diltiazem	Cardizem	5ml prefilled syringe (5mg/ml)	2
Diphenhydramine HCl	Benadryl	50 mg/ml – ampule or prefilled syringe	2
Epinephrine 1:1000	Adrenalin	1mg (1mL) ampule	6
Epinephrine	EpiPen Autoinjector	Junior – 0.15 mg (1:2000) Adult – 0.3 mg (1:1000)	2 2
Epinephrine 1:10,000	Adrenaline	1 mg prefilled syringe	10
Furosemide	Lasix	40 mg (4mL) vial	4
Oral Glucose	Glucose	25 gm unit dose	2
Glucagon		1 mg vial (w/ 1 mL diluting sol)	2
Lidocaine HCl	Xylocaine	100 mg prefilled syringe	4
*Lidocaine HCl 2% Jelly	Xylocaine	multi-use tube	1
Magnesium Sulfate		10% 50 mL vial	1
Metoprolol	Lopressor	5 mg vial	2
Naloxone HCl	Narcan	2.0 mg (2mL)	4
*NeoSynephrine Spray		.5 mL bottle	1
Nerve Agent Antidote Kit	MARK I	pre-packaged kits	2
Nitroglycerine		0.4 mg (1/150 grain)	1
Nitroglycerine Paste	Nitropaste	multi-use tube	1
Normal Saline		2.5 mL unit dose	5
Oxygen			
Sodium Bicarbonate		50 mEq prefilled syringe	2

WMEMS REGION ONE GUIDELINES**January 11, 2007**

Terbutaline	Brethine	1mg/mL ampule	2
Thiamine		100 mg/mL 2 mL prefilled syringe	2

** service may choose one of these for assistance with nasotracheal intubation*

PRE-MIXED INFUSIONS

MEDICATION (GENERIC)	MEDICATION HOW SUPPLIED (TRADE/COMMON)	MINIMUM STOCK LEVEL	
Dopamine	Intropin	Pre-mixed bag – 500 cc	1
Lidocaine HCl (20%)	Xylocaine	Pre-mixed bag – 500cc	1

NARCOTIC KIT

MEDICATION (GENERIC)	MEDICATION HOW SUPPLIED (TRADE/COMMON)	MINIMUM STOCK LEVEL	
Lorazepam (Service Medical Director Option)	Ativan	2 or 4 mg/ml vials	2
Morphine Sulfate		4 mg Tubex or Interlink	3
Diazepam	Valium	10 mg (2mL) prefilled syringe	2
Midazolam	Versed	10 mg (2 ml) vial	2

IV SOLUTIONS

MEDICATION (GENERIC)	MEDICATION HOW SUPPLIED (TRADE/COMMON)	MINIMUM STOCK LEVEL	
0.9% Sodium Chloride	Normal Saline	100 cc bags	2
		250 cc bags	2
		500 cc bags	2

1000 cc bags 6

Dextrose 10% Solution D10 250 cc bags 1

AUTHORIZED MEDICATIONS FOR USE BY INTERMEDIATE LEVEL PERSONNEL

MEDICATION (GENERIC)	MEDICATION HOW SUPPLIED (TRADE/COMMON)	MINIMUM STOCK LEVEL
Activated Charcoal	25 gm bottle	1
	25 gm bottle (water)	1
**Albuterol Sulfate	Proventil or Ventolin	Unit dose, 3mL (0.083% sol) 3
ASA	Asprin	81 mg tablets 1 bottle
Epinephrine	EpiPen Autoinjector	Junior – 0.15 mg (1:2000) 2
		Adult – 0.3 mg (1:1000) 2
Nerve Agent Antidote Kit	MARK I	pre-packaged kits 2
Oral Glucose	Glucose	25 gm unit dose 2
Oxygen		
0.9% Sodium Chloride	Normal Saline	250 cc bags 2
		500 cc bags 2
		1000 cc bags 6

** Only if authorized by Ambulance Service Medical Director

AUTHORIZED MEDICATIONS FOR USE BY BASIC LEVEL PERSONNEL

MEDICATION (GENERIC)	MEDICATION HOW SUPPLIED (TRADE/COMMON)	MINIMUM STOCK LEVEL
Activated Charcoal	25 gm bottle	1
	25 gm bottle (water)	1
**Albuterol Sulfate	Proventil or Ventolin	Unit dose, 3mL (0.083% sol) 3
ASA	Asprin	81 mg tablets 1 bottle

WMEMS REGION ONE GUIDELINES**January 11, 2007**

Epinephrine	EpiPen Autoinjector	Junior – 0.15 mg (1:2000)	2
		Adult – 0.3 mg (1:1000)	2
<hr/>			
Nerve Agent Antidote Kit	MARK I	pre-packaged kits	2
<hr/>			
Oral Glucose	Glucose	25 gm unit dose	2
<hr/>			
Oxygen			
<hr/>			

**** Only if authorized by Ambulance Service Medical Director**

Updated May 1998, June 2001, January 2004, September 2006